



The texpower Package

ifmslide Demo

Stephan Lehmke

`mailto:Stephan.Lehmke@cs.uni-dortmund.de`





Contents

1	A list environment	3
2	An aligned equation	4
3	An array	5
4	A picture	6



A list environment



3/6



A list environment

foo.



3/6



A list environment

foo. bar.



3/6



A list environment

foo. bar.

baz.



3/6



A list environment

foo. bar.

baz. qux.



3/6



An aligned equation



4/6



An aligned equation

$$\sum_{i=1}^n i \tag{1}$$

(2)

(3)

(4)



4/6



An aligned equation

$$\sum_{i=1}^n i = 1 + 2 + \cdots + (n - 1) + n \quad (1)$$

(2)

(3)

(4)



4/6



An aligned equation

$$\sum_{i=1}^n i = 1 + 2 + \cdots + (n-1) + n \quad (1)$$

$$= 1 + n + 2 + (n-1) + \cdots \quad (2)$$

(3)

(4)



4/6



An aligned equation

$$\sum_{i=1}^n i = 1 + 2 + \cdots + (n-1) + n \quad (1)$$

$$= 1 + n + 2 + (n-1) + \cdots \quad (2)$$

$$= (1 + n) + \cdots + (1 + n) \quad (3)$$

$$(4)$$



An aligned equation

$$\sum_{i=1}^n i = 1 + 2 + \cdots + (n-1) + n \quad (1)$$

$$= 1 + n + 2 + (n-1) + \cdots \quad (2)$$

$$= \underbrace{(1+n) + \cdots + (1+n)}_{\times \frac{n}{2}} \quad (3)$$

$$(4)$$



An aligned equation

$$\sum_{i=1}^n i = 1 + 2 + \cdots + (n-1) + n \quad (1)$$

$$= 1 + n + 2 + (n-1) + \cdots \quad (2)$$

$$= \underbrace{(1+n) + \cdots + (1+n)}_{\times \frac{n}{2}} \quad (3)$$

$$= \underline{(1+n)} \quad (4)$$



An aligned equation

$$\sum_{i=1}^n i = 1 + 2 + \cdots + (n-1) + n \quad (1)$$

$$= 1 + n + 2 + (n-1) + \cdots \quad (2)$$

$$= \underbrace{(1+n) + \cdots + (1+n)}_{\times \frac{n}{2}} \quad (3)$$

$$= \frac{(1+n) \cdot n}{2} \quad (4)$$



An array



5/6



An array

$$\frac{n \quad \log n \quad n \log n \quad n^2 \quad 2^n}{}$$



An array

$$\frac{n \quad \log n \quad n \log n \quad n^2 \quad 2^n}{0}$$



An array

$$\frac{n \quad \log n \quad n \log n \quad n^2 \quad 2^n}{0 \quad \quad \quad \text{—}}$$



An array

$$\begin{array}{ccccc} n & \log n & n \log n & n^2 & 2^n \\ \hline 0 & \text{—} & \text{—} & & \end{array}$$



An array

$$\begin{array}{ccccc} n & \log n & n \log n & n^2 & 2^n \\ \hline 0 & \text{—} & \text{—} & 0 & \end{array}$$



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1				



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0			



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0		



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2				



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2	1			



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2	1	2		



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2	1	2	4	



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2	1	2	4	4



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2	1	2	4	4
3				



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2	1	2	4	4
3	1.6			



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2	1	2	4	4
3	1.6	4.8		



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2	1	2	4	4
3	1.6	4.8	9	



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2	1	2	4	4
3	1.6	4.8	9	8



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2	1	2	4	4
3	1.6	4.8	9	8
4				



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2	1	2	4	4
3	1.6	4.8	9	8
4	2			



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2	1	2	4	4
3	1.6	4.8	9	8
4	2	8		



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2	1	2	4	4
3	1.6	4.8	9	8
4	2	8	16	



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2	1	2	4	4
3	1.6	4.8	9	8
4	2	8	16	16



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2	1	2	4	4
3	1.6	4.8	9	8
4	2	8	16	16
5				



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2	1	2	4	4
3	1.6	4.8	9	8
4	2	8	16	16
5	2.3			



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2	1	2	4	4
3	1.6	4.8	9	8
4	2	8	16	16
5	2.3	11.6		



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2	1	2	4	4
3	1.6	4.8	9	8
4	2	8	16	16
5	2.3	11.6	25	



An array

n	$\log n$	$n \log n$	n^2	2^n
0	—	—	0	1
1	0	0	1	2
2	1	2	4	4
3	1.6	4.8	9	8
4	2	8	16	16
5	2.3	11.6	25	32




A picture




6/6



A picture



$x(t)$





$y(t)$



6/6




A picture



6/6



A picture




$y(t)$



6/6




A picture




6/6



A picture




A picture



6/6



A picture



6/6



A picture

